THE JOURNAL OF NUTRITION

OFFICIAL ORGAN OF THE AMERICAN INSTITUTE OF NUTRITION

GEORGE R. COWGILL, *Editor*
Yale Nutrition Laboratory, 333 Cedar Street
New Haven 11, Conn.

EDITORIAL BOARD

R. H. BARNES
PAUL L. DAY
H. H. MITCHELL
WILLIAM J. DARBY
D. M. HEGSTED
PEARL P. SWANSON
VERNON H. CHELDELIN
CARL V. MOORE
HAROLD H. WILLIAMS
ALEX BLACK
FLOYD S. DAFT
HARRY G. DAY

VOLUME 46

JANUARY – APRIL 1952

PUBLISHED MONTHLY BY
THE WISTAR INSTITUTE OF ANATOMY AND BIOLOGY
PHILADELPHIA, PENNSYLVANIA

CONTENTS

No. 1 JANUARY 1952

E. Brouwer. Biography of Gerrit Jan Mulder with frontispiece 3

K. A. Kuiken. With the technical assistance of Mary Trant. Availability of the essential amino acids in cottonseed meal 13

Harvye Lewis and Gladys Everson. Deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of the rat for reproduction. II. Pantothenic acid and biotin. Two figures 27

Harold H. Draper and H. Connor Johnson. The riboflavin requirement of the Holstein calf. One figure 37

Gladys Everson, Elinor Pearson and Robertha Matteson. Biological availability of certain foods as sources of riboflavin 45

Barnett Sure, Leslie Easterling and Sequan Jeu. The specific effect of niacin on growth 55

David Kligler and Willard A. Krehl. Lysine deficiency in rats. II. Studies with amino acid diets 61

D. V. Tappan, U. J. Lewis, U. D. Register and C. A. Elvehjem. Niacin deficiency in the rhesus monkey. Two figures 75

Edgar A. Hawk and James M. Hundley. Dietary factors affecting gastric secretion in the rat. Two figures 87

H. E. Sauberlich. Effect of aureomycin and penicillin upon the vitamin requirements of the rat 99

Nettie C. Esselbaugh, Hazel C. Murray, Laurine W. Hardie and Margaret M. Hard. The replacement value of the Alaska field pea (Pisum sativum) for human subjects 109

Harold H. Draper and B. Connor Johnson. Folic acid deficiency in the lamb. One figure 123

Ross A. Gortner, Jr. and Reuben K. Kenigsberg. Factors concerned with the different erosive effects of grapefruit and grapefruit juice on rats' molar teeth 133

No. 2 FEBRUARY 1952

K. Guggenheim. Studies on the effect of atabrine on vitamin A metabolism 141

Hans Kaunitz, Ruth Ellen Johnson and Charles A. Slanetz. Rancid lard effect on rats fed complete and riboflavin-deficient diets. One figure ... 151

J. O. Anderson and G. F. Combs. Effect of single amino acid excesses on glucose metabolism and chick growth, as influenced by the dietary amino acid balance 161

M. O. Schultze, I. E. Liener and R. L. Glass. Nutritional value of plant materials. VII. Dietary factors affecting pre-weaning and post-weaning mortality of rats 171

D. M. Hegsted, Irma Moscoso and Carlos Collazos Ch. A study of the minimum calcium requirements of adult men. Three figures 181

H. J. DeBey, Esmond E. Snell and C. A. Baumann. Studies on the interrelationship between methionine and vitamin B_6 203

Calvin Lang, Robert A. Harte, C. L. Conley and Bacon F. Chow. Retention of crystalline vitamin B_{12} by healthy male individuals following intramuscular injection 215

I. E. Liener and M. O. Schultze. The excretion of N^1-methylnicotinamide and creatinine as influenced by vitamin B_{12} and various methyl donors .. 223

Helen B. Burch, Juan Salcedo, Jr., Eufronio O. Carrasco and Carmen L. Intengan. Nutrition resurvey in Bataan, Philippines, 1950. Three figures 239

J. T. Reid, P. G. Woolfolk, W. A. Hardison, C. M. Martin, A. L. Brundage and R. W. Kaufmann. A procedure for measuring the digestibility of pasture forage under grazing conditions. One figure 255

No. 3 MARCH 1952

Marguerite A. Constant, Paul H. Phillips and C. A. Elvehjem. Dental caries in the cotton rat. XIII. The effect of whole grain and processed cereals on dental caries production. Three figures 271

Leslie P. Dryden, Arthur M. Hartman and Charles A. Cary. The effect of vitamin B_{12} deficiency upon the survival of young born to rats fed purified casein rations 281

MARY F. FUTRELL, RUTH N. LUTZ, MAY S. REYNOLDS AND C. A. BAUMANN. Studies on amino acids in self-selected diets 299

E. T. MERTZ, E. J. BAXTER, L. E. JACKSON, C. E. RODERUCK AND A. WEIS. Essential amino acids in self-selected diets of older women 313

JULIA O. HOLMES. Dental caries in the rat, Mus norvegicus. I. The incidence and extent of tooth decay in three strains of rats fed finely powdered, synthetic rations 323

MARY E. LOJKIN, ANNE W. WERTZ AND CHARLOTTE G. DIETZ. Metabolism of nicotinic acid in pregnancy 335

ERLING F. WEEK, FRANK J. SEVIGNE AND MARIE E. ELLIS. The relative utilization of alpha-tocopherol and alpha-tocopheryl acetate by humans 353

PATRICIA T. MCCARTHY AND LEOPOLD R. CERECEDO. Vitamin A deficiency in the mouse. Two figures 361

N. B. GUERRANT AND R. Q. THOMPSON. Soybean lecithins and vitamin A utilization. One figure 377

L. J. MACHLIN, A. H. LANKENAU, C. A. DENTON AND H. R. BIRD. Effect of vitamin B_{12} and folic acid on growth and uricemia of chickens fed high levels of glycine 389

ALBERTO CARVALHO DA SILVA, RAINER FRIED AND REBECCA CARLOTTA DE ANGELIS. The domestic cat as a laboratory animal for experimental nutrition studies. III. Niacin requirements and tryptophan metabolism. One figure 399

W. J. MONSON, L. S. DIETRICH AND C. A. ELVEHJEM. The effect of different carbohydrates and antibiotics on the growth of chicks and the storage of vitamins 411

JOHN HALDI AND WINFREY WYNN. Cariogenicity of sugar-containing diets . 425

No. 4 APRIL 1952

NATHAN KAUFMAN, J. A. CARTAYA, PHILIP L. WHITE, D. MARK HEGSTED AND THOMAS D. KINNEY. An attempt to produce hemochromatosis experimentally and the effect of high levels of copper and choline in the diet 433

SUSAN B. MERROW, R. F. KRAUSE, J. H. BROWE, C. A. NEWHALL AND H. B. PIERCE. Relationships between intake and serum levels of ascorbic acid, vitamin A, and carotene of selected groups of children with physical signs of vitamin deficiencies. Two figures 445

PHILIP L. HARRIS, MARY L. QUAIFE AND PATRICIA O'GRADY. Tocopherol content of human milk and of cows' milk products used for infant feeding 459

J. M. COOPERMAN, B. TABENKIN AND R. DRUCKER. Growth response and vitamin B_{12} tissue levels in vitamin B_{12}-deficient rats and chicks fed riboflavin, 5,6-dimethylbenzimidazole and related compounds 467

O. M. HALE AND A. E. SCHAEFER. Effect of fasting or protein depletion upon body weight, and fat, nitrogen, and choline content of livers of choline-deficient rats 479

F. A. KUMMEROW, H. P. PAN AND H. HICKMAN. The effect of dietary fat on the reproductive performance and the mixed fatty acid composition of fat-deficient rats 489

JAMES F. MEAD, DOROTHY L. FILLERUP, ARTHUR B. DECKER AND LESLIE R. BENNETT. The measurement of fat absorption and distribution using eleostearic acid. Two figures 499

R. J. SALMON AND C. D. MAY. Total plasma protein and plasma fibrinogen in ascorbic acid deficiency and in scurvy in the monkey 515

D. R. CLANDININ AND A. R. ROBBLEE. The effect of processing on the enzymatic liberation of lysine and arginine from soybean oil meal. Three figures 525

FRANK A. CSONKA AND MERRIAM A. JONES. Factors affecting the percentage of certain proteins in egg white 531

LACY R. OVERBY AND DOUGLAS V. FROST. The effects of heat on the nutritive value of protein hydrolysates with dextrose. Three figures 539

A. L. MOREHOUSE AND N. B. GUERRANT. Influence of age and of sex of the albino rat on hepatic ascorbic acid. Three figures 551

INDEX

ACETATE, alpha-tocopheryl, and alpha-tocopherol, relative utilization by humans, 353.
Adult men (see Men, adult).
Age of albino rat, influence on hepatic ascorbic acid, 551.
Alaska field pea (Pisum sativum), replacement value for human subjects, 109.
Albino rat (see Rat, albino).
Alpha-tocopherol (see Tocopherol, alpha-).
Alpha-tocopheryl acetate (see Acetate).
Amino acid(s) balance, dietary, effect of single amino acid excesses on glucose metabolism and chick growth as influenced by, 161.
—— diets, studies with. Lysine deficiency in rats. II., 61.
—— essential, in cottonseed meal, availability of, 13.
———— in self-selected diets of older women, 313.
—— excesses, effect of single, on glucose metabolism and chick growth, as influenced by dietary amino acid balance, 161.
—— in self-selected diets, 299.
ANDERSON, J. O., AND G. F. COMBS. Effect of single amino acid excesses on glucose metabolism and chick growth, as influenced by the dietary amino acid balance, 161.
Animal, laboratory, for experimental nutrition studies, domestic cat as. III., 399.
Antibiotics and carbohydrates, effect of different, on growth of chicks and storage of vitamins, 411.
Arginine, effect of processing on enzymatic liberation from soybean oil meal, 525.
Ascorbic acid deficiency in monkey, total plasma protein and plasma fibrinogen in, 515.
—— hepatic, influence of age and of sex of albino rat on, 551.
—— vitamin A, and carotene, relationships between intake and serum levels of, of selected groups of children with physical signs of vitamin deficiencies, 445.
Atabrine, effect on vitamin A metabolism, 141.
Aureomycin and penicillin, effect upon vitamin requirements of rat, 99.

B vitamins (see Vitamins, B).
Balance, dietary amino acid, effect of single amino acid excesses on glucose metabolism and chick growth as influenced by, 161.
Bataan, Philippines, nutrition resurvey in, 1950, 239.
BAUMANN, C. A. See DeBey, H. J., 203; Futrell, M. F., 299.
BAXTER, E. J. See Merts, E. T., 313.
BENNETT, L. R. See Mead, J. F., 499.
Biological availability of certain foods as sources of riboflavin, 45.
Biotin. Deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. II., 27.
BIRD, H. R. See Machlin, L. J., 389.
Body weight of choline-deficient rats, effect of fasting or protein depletion upon, 479.
BROUWER, E. Biography of Gerrit Jan Mulder, 3.
BROWN, J. H. See Merrow, S. B., 445.
BRUNDAGE, A. L. See Reid, J. T., 255.
BURCH, H. B., J. SALCEDO, JR., E. O. CARRASCO AND C. L. INTENGAN. Nutrition resurvey in Bataan, Philippines, 1950, 239.

CALCIUM requirements, minimum, of adult men, 181.
Calf, Holstein, riboflavin requirement of, 37.
Carbohydrates and antibiotics, effect of different, on growth of chicks and storage of vitamins, 411.
Caries, dental (see Dental caries).
Cariogenicity of sugar-containing diets, 425.
Carotene, ascorbic acid, and vitamin A, relationships between intake and serum levels of, of selected groups of children with physical signs of vitamin deficiencies, 445.
CARRASCO, E. O. See Burch, H. B., 239.
CARTAYA, J. A. See Kaufman, N., 433.
CARVALHO DA SILVA, A., R. FRIED AND R. C. DE ANGELIS. The domestic cat as a laboratory animal for experimental nutrition studies. III. Niacin requirements and tryptophan metabolism, 399.
CARY, C. A. See Dryden, L. P., 281.
Casein rations, purified, effect of vitamin B_{12} deficiency upon survival of young born to rats fed, 281.
Cat, domestic, as laboratory animal for experimental nutrition studies. III., 399.
Cereals, whole grain and processed, effect on dental caries production in cotton rat, 271.
CERECEDO, L. R. See McCarthy, P. T., 361.
Chick(s), effect of different carbohydrates and antibiotics on growth of, and storage of vitamins, 411.
— growth, effect of single amino acid excesses on, as influenced by dietary amino acid balance, 161.
— vitamin B_{12}-deficient, fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, growth response and B_{12} tissue levels in, 467.
Chickens fed high levels of glycine, effect of vitamin B_{12} and folic acid on growth and uricemia of, 389.
Children with physical signs of vitamin deficiencies, relationships between intake and serum levels of ascorbic acid, vitamin A, and carotene of selected groups of, 445.
Choline and copper in diet, attempt to produce hemochromatosis experimentally and effect of high levels of, 433.
— content of livers of choline-deficient rats, effect of fasting or protein depletion upon, 479.
— deficient rats, effect of fasting or protein depletion upon body weight and fat, nitrogen, and choline content of livers of, 479.

CHOW, B. F. See Lang, C. A., 215.
CLANDININ, D. R., AND A. R. ROBBLEE. The effect of processing on the enzymatic liberation of lysine and arginine from soybean oil meal, 525.
COLLAZOS, CH., C. See Hegsted, D. M., 181.
COMBS, G. F. See Anderson, J. O., 161.
Complete and riboflavin-deficient diets, effect of rancid lard on rats fed, 151.
CONLEY, C. L. See Lang, C. A., 215.
CONSTANT, M. A., P. H. PHILLIPS AND C. A. ELVEHJEM. Dental caries in the cotton rat. XIII. The effect of whole grain and processed cereals on dental caries production, 271.
COOPERMAN, J. M., B. TABENKIN AND R. E. DEUCKER. Growth response and vitamin B_{12} tissue levels in vitamin B_{12}-deficient rats and chicks fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, 467.
Copper and choline in diet, attempt to produce hemochromatosis experimentally and effect of high levels of, 433.
Cotton rat, dental caries in. XIII., 271.
Cottonseed meal, availability of essential amino acids in, 13.
Cows' milk products (see Milk products).
Creatinine and N^1-methylnicotinamide, excretion of, as influenced by vitamin B_{12} and various methyl donors, 223.
Crystalline vitamin B_{12}, retention by healthy male individuals following intramuscular injection, 215.
CSONKA, F. A., AND M. A. JONES. Factors affecting the percentage of certain proteins in egg white, 531.

DE ANGELIS, R. C. See Carvalho da Silva, A., 399.
DEBEY, H. J., E. E. SNELL AND C. A. BAUMANN. Studies on the interrelationship between methionine and vitamin B_6, 203.
Decay, tooth, incidence and extent in three strains of rats fed finely powdered, synthetic rations, 323.
DECKER, A. B. See Mead, J. F., 499.
Dental caries in cotton rat. XIII. Effect of whole grain and processed cereals on dental caries production, 271.
—— in rat, Mus norvegicus. I. Incidence and extent of tooth decay in three strains of rats fed finely powdered, synthetic rations, 323.
—— production in cotton rat, effect of whole grain and processed cereals on, 271.
DENTON, C. A. See Machlin, L. J., 389.
Dextrose, effects of heat on nutritive value of protein hydrolysates with, 539.
Diet(s), amino acid, studies with. Lysine deficiency in rats. II., 61.
— attempt to produce hemochromatosis experimentally and effect of high levels of copper and choline in, 433.
— complete and riboflavin-deficient, effect of rancid lard on rats fed, 151.
— self-selected, amino acids in, 299.
—— of older women, essential amino acids in, 313.
— sugar-containing, cariogenicity of, 425.
Dietary amino acid balance, effect of single amino acid excesses on glucose metabolism and chick growth as influenced by, 161.
— factors affecting gastric secretion in rat, 87.
—— —— pre-weaning and post-weaning mortality of rats. Nutritional value of plant materials. VII., 171.
— fat, effect on reproductive performance and mixed fatty acid composition of fat-deficient rats, 489.
DIETRICH, L. S. See Monson, W. J., 411.
DIETZ, C. G. See Lojkin, M. E., 335.
Digestibility of pasture forage under grazing conditions, procedure for measuring, 255.
Dimethylbenzimidazole (5,6-) and related compounds, and riboflavin, growth response and vitamin B_{12} tissue levels in B_{12}-deficient rats and chicks fed, 467.
Domestic cat as laboratory animal for experimental nutrition studies. III. Niacin requirements and tryptophan metabolism, 399.
Donors, methyl (see Methyl donors).
DRAPER, H. H., AND B. C. JOHNSON. Folic acid deficiency in the lamb, 123; the riboflavin requirement of the Holstein calf, 37.
DRUCKER, R. E. See Cooperman, J. M., 467.
DRYDEN, L. P., A. M. HARTMAN AND C. A. CARY. The effect of vitamin B_{12} deficiency upon the survival of young born to rats fed purified casein rations, 281.

EASTERLING, L. See Sure, B., 55.
Egg white, factors affecting percentage of certain proteins in, 531.
Eleostearic acid, measurement of fat absorption and distribution using, 499.
ELLIS, M. E. See Week, E. F., 353.
ELVEHJEM, C. A. See Constant, M. A., 271; Monson, W. J., 411; Tappan, D. V., 75.
Enzymatic liberation of lysine and arginine from soybean oil meal, effect of processing on, 525.
Erosive effects, different, of grapefruit and grapefruit juice on rats' molar teeth, factors concerned with, 133.
ESSELBAUGH, N. C., H. C. MURRAY, L. W. HARDIE AND M. M. HARD. The replacement value of the Alaska field pea (Pisum sativum) for human subjects, 109.
EVERSON, G., E. PEARSON AND R. MATTESON. Biological availability of certain foods as sources of riboflavin, 45.
— See Lewis, H. F., 27.
Excretion of N^1-methylnicotinamide and creatinine as influenced by vitamin B_{12} and various methyl donors, 223.
Experimental nutrition studies, domestic cat as laboratory animal for. III., 399.

FASTING, effect upon body weight and fat, nitrogen, and choline content of livers of choline-deficient rats, 479.
Fat absorption and distribution, measurement of, using eleostearic acid, 499.
— content of livers of choline-deficient rats, effect of fasting or protein depletion upon, 479.
— deficient rats, effect of dietary fat on reproductive performance and mixed fatty acid composition of, 489.
— dietary, effect on reproductive performance and mixed fatty acid composition of fat-deficient rats, 489.
Fatty acid (mixed) composition of fat-deficient rats, effect of dietary fat on, 489.
Feeding, infant, tocopherol content of cows' milk products used for, 459.
Fetuses, normally developing, deposition of B vitamins in, as evidence for increased vitamin needs of rat for reproduction. II., 27.
Fibrinogen, total plasma, in ascorbic acid deficiency and in scurvy in monkey, 515.
Field pea (Alaska), replacement value for human subjects, 109.
FILLERUP, D. L. See Mead, J. F., 499.

Folic acid and vitamin B_{12}, effect on growth and uricemia of chickens fed high levels of glycine, 389.
— — deficiency in lamb, 123.
Foods, biological availability of certain, as sources of riboflavin, 45.
Forage (pasture), procedure for measuring digestibility of, under grazing conditions, 255.
FRIED, R. See Carvalho da Silva, A., 399.
FROST, D. V. See Overby, L. R., 539.
FUTRELL, M. F., R. N. LUTZ, M. S. REYNOLDS AND C. A. BAUMANN. Studies on amino acids in self-selected diets, 299.

GASTRIC secretion in rat, dietary factors affecting, 87.
GERRIT JAN MULDER, biography, 3.
GLASS, R. J. See Schultze, M. O., 171.
Glucose metabolism (see Metabolism).
Glycine, effect of vitamin B_{12} and folic acid on growth and uricemia of chickens fed high levels of, 389.
GORTNER, R. A., JR., AND R. K. KENIGSBERG. Factors concerned with the different erosive effects of grapefruit and grapefruit juice on rats' molar teeth, 133.
Grain (whole) cereals, effect on dental caries production in cotton rat, 271.
Grapefruit and grapefruit juice, factors concerned with different erosive effects of, on rats' molar teeth, 133.
Grazing conditions, procedure for measuring digestibility of pasture forage under, 255.
Growth, chick, effect of single amino acid excesses on, as influenced by dietary amino acid balance, 161.
— of chickens fed high levels of glycine, effect of vitamin B_{12} and folic acid on, 389.
— of chicks, effect of different carbohydrates and antibiotics on, 411.
— response and vitamin B_{12} tissue levels in B_{12}-deficient rats and chicks fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, 467.
— specific effect of niacin on, 55.
GUERRANT, N. B., AND R. Q. THOMPSON. Soybean lecithins and vitamin A utilization, 377.
— See Morehouse, A. L., 551.
GUGGENHEIM, K. Studies on the effect of atabrine on vitamin A metabolism, 141.

HALDI, J., AND W. WYNN. Cariogenicity of sugar-containing diets, 425.
HALE, O. M., AND A. E. SCHAEFER. Effect of fasting or protein depletion upon body weight, and fat, nitrogen, and choline content of livers of choline-deficient rats, 479.
HARD, M. M. See Esselbaugh, N. C., 109.
HARDIE, L. W. See Esselbaugh, N. C., 109.
HARDISON, W. A. See Reid, J. T., 255.
HARRIS, P. L., M. L. QUAIFE AND P. O'GRADY. Tocopherol content of human milk and of cows' milk products used for infant feeding, 459.
HARTE, R. A. See Lang, C. A., 215.
HARTMAN, A. M. See Dryden, L. P., 281.
HAWK, E. A., AND J. M. HUNDLEY. Dietary factors affecting gastric secretion in the rat, 87.
Heat, effects on nutritive value of protein hydrolysates with dextrose, 539.
HEGSTED, D. M., I. MOSCOSO AND C. COLLAZOS CH. A study of the minimum calcium requirements of adult men, 181.
— See Kaufman, N., 433.
Hemochromatosis, attempt to produce experimentally, and effect of high levels of copper and choline in diet, 433.
Hepatic ascorbic acid, influence of age and of sex of albino rat on, 551.
HICKMAN, H. See Kummerow, F. A., 489.
HOLMES, J. O. Dental caries in the rat, Mus norvegicus. I. The incidence and extent of tooth decay in three strains of rats fed finely powdered, synthetic rations, 323.
Holstein calf (see Calf, Holstein).
Human milk (see Milk, human).
— subjects (see Man).
Humans (see Man).
HUNDLEY, J. M. See Hawk, E. A., 87.
Hydrolysates, protein, with dextrose, effects of heat on nutritive value of, 539.

INFANT feeding, tocopherol content of cows' milk products used for, 459.
INTENGAN, C. L. See Burch, H. B., 239.
Intramuscular injection, retention of crystalline vitamin B_{12} by healthy male individuals following, 215.

JACKSON, L. E. See Mertz, E. T., 313.

JEU, S. See Sure, B., 55.
JOHNSON, B. C. See Draper, H. H., 37, 123.
JOHNSON, R. E. See Kaunitz, H., 151.
JONES, M. A. See Csonka, F. A., 531.
Juice, grapefruit (see Grapefruit).

KAUFMAN, N., J. A. CARTAYA, P. L. WHITE, D. M. HEGSTED AND T. D. KINNEY. An attempt to produce hemochromatosis experimentally and the effect of high levels of copper and choline in the diet, 433.
KAUFMANN, R. W. See Reid, J. T., 255.
KAUNITZ, H., R. E. JOHNSON AND C. A. SLANETZ. Rancid lard effect on rats fed complete and riboflavin-deficient diets, 151.
KENIGSBERG, R. K. See Gortner, R. A., Jr., 133.
KINNEY, T. D. See Kaufman, N., 433.
KLIGLER, D., AND W. A. KREHL. Lysine deficiency in rats. II. Studies with amino acid diets, 61.
KRAUSE, R. F. See Merrow, S. B., 445.
KREHL, W. A. See Kligler, D., 61.
KUIKEN, K. A. Availability of the essential amino acids in cottonseed meal, 13.
KUMMEROW, F. A., H. P. PAN AND H. HICKMAN. The effect of dietary fat on the reproductive performance and the mixed fatty acid composition of fat-deficient rats, 489.

LABORATORY animal for experimental nutrition studies, domestic cat as. III., 399.
Lamb, folic acid deficiency in, 123.
LANG, C. A., R. A. HARTE, C. L. CONLEY AND B. F. CHOW. Retention of crystalline vitamin B_{12} by healthy male individuals following intramuscular injection, 215.
LANKENAU, A. H. See Machlin, L. J., 389.
Lard, rancid, effect on rats fed complete and riboflavin-deficient diets, 151.
Lecithins, soybean, and vitamin A utilization, 377.
LEWIS, H. F., AND G. EVERSON. Deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of the rat for reproduction. II. Pantothenic acid and biotin, 27.
LEWIS, U. J. See Tappan, D. V., 75.

Liberation, enzymatic, of lysine and arginine from soybean oil meal, effect of processing on, 525.
LIENER, I. E., AND M. O. SCHULTZE. The excretion of N^1-methylnicotinamide and creatinine as influenced by vitamin B_{12} and various methyl donors, 223.
— See Schultze, M. O., 171.
Livers of choline-deficient rats, effect of fasting or protein depletion upon fat, nitrogen and choline content of, 479.
LOJKIN, M. E., A. W. WERTZ AND C. G. DIETZ. Metabolism of nicotinic acid in pregnancy, 335.
LUTZ, R. N. See Futrell, M. F., 299.
Lysine deficiency in rats. II. Studies with amino acid diets, 61.
— effect of processing on enzymatic liberation from soybean oil meal, 525.

MACHLIN, L. J., A. H. LANKENAU, C. A. DENTON AND H. R. BIRD. Effect of vitamin B_{12} and folic acid on growth and uricemia of chickens fed high levels of glycine, 389.
Male individuals (see Men).
Man, relative utilization of alpha-tocopherol and alpha-tocopheryl acetate by, 353.
— replacement value of Alaska field pea (Pisum sativum) for, 109.
MARTIN, C. M. See Reid, J. T., 255.
MATTESON, R. See Everson, G., 45.
MAY, C. D. See Salmon, R. J., 515.
MCCARTHY, P. T., AND L. R. CERECEDO. Vitamin A deficiency in the mouse, 361.
MEAD, J. F., D. L. FILLERUP, A. B. DECKER AND L. R. BENNETT. The measurement of fat absorption and distribution using eleostearic acid, 499.
Meal, cottonseed (see Cottonseed meal).
Men, adult, minimum calcium requirements of, 181.
— healthy, retention of crystalline vitamin B_{12} by, following intramuscular injection, 215.
MERROW, S. B., R. F. KRAUSE, J. H. BROWE, C. A. NEWHALL AND H. B. PIERCE. Relationships between intake and serum levels of ascorbic acid, vitamin A, and carotene of selected groups of children with physical signs of vitamin deficiencies, 445.
MERTZ, E. T., E. J. BAXTER, L. E. JACKSON, C. E. RODERUCK AND A. E. WEIS. Essential amino acids in self-selected diets of older women, 313.
Metabolism, glucose, effect of single amino acid excesses on, as influenced by dietary amino acid balance, 161.
— of nicotinic acid in pregnancy, 335.
— tryptophan, and niacin requirements. Domestic cat as laboratory animal for experimental nutrition studies. III., 399.
— vitamin A, effect of atabrine on, 141.
Methionine and vitamin B_{12}, interrelationship between, 203.
Methyl donors (various), excretion of N^1-methylnicotinamide and creatinine as influenced by vitamin B_{12} and, 223.
Methylnicotinamide (N^1-) and creatinine, excretion of, as influenced by vitamin B_{12} and various methyl donors, 223.
Milk, human, tocopherol content of, 459.
— products, cows', used for infant feeding, tocopherol content of, 459.
Mixed fatty acid composition of fat-deficient rats, effect of dietary fat on, 489.
Molar teeth (see Teeth, molar).
Monkey, rhesus, niacin deficiency in, 75.
— total plasma protein and plasma fibrinogen in ascorbic acid deficiency and in scurvy in, 515.
MONSON, W. J., L. S. DIETRICH AND C. A ELVEHJEM. The effect of different carbohydrates and antibiotics on the growth of chicks and the storage of vitamins, 411.
MOREHOUSE, A. L., AND N. B. GUERRANT. Influence of age and of sex of the albino rat on hepatic ascorbic acid, 551.
Mortality of rats, pre-weaning and post-weaning, dietary factors affecting. Nutritional value of plant materials. VII., 171.
MOSCOSO, I. See Hegsted, D. M., 181.
Mouse, vitamin A deficiency in, 361.
MULDER, GERRIT JAN, biography, 3.
MURRAY, H. C. See Esselbaugh, N. C., 109.

NEWHALL, C. A. See Merrow, S. B., 445.
Niacin deficiency in rhesus monkey, 75.
— requirements and tryptophan metabolism. Domestic cat as laboratory animal for experimental nutrition studies. III., 399.
— specific effect on growth, 55.
Nicotinic acid, metabolism of, in pregnancy, 335.
Nitrogen content of livers of choline-deficient rats, effect of fasting or protein depletion upon, 479.
Nutrition resurvey in Bataan, Philippines, 1950, 239.
— studies, experimental, domestic cat as laboratory animal for. III., 399.
Nutritional value of plant materials. VII. Dietary factors affecting pre-weaning and post-weaning mortality of rats, 171.
Nutritive value of protein hydrolysates with dextrose, effects of heat on, 539.

O'GRADY, P. See Harris, P. L., 459.
Oil meal, soybean (see Soybean oil meal).
Older women (see Women, older).
OVERBY, L. R., AND D. V. FROST. The effects of heat on the nutritive value of protein hydrolysates with dextrose, 539.

PAN, H. P. See Kummerow, F. A., 489.
Pantothenic acid. Deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. II., 27.
Pasture forage, procedure for measuring digestibility of, under grazing conditions, 255.
Pea, field (Alaska), replacement value for human subjects, 109.
PEARSON, E. See Everson, G., 45.
Penicillin and aureomycin, effect upon vitamin requirements of rat, 99.
Percentage of certain proteins in egg white, factors affecting, 531.
Philippines, nutrition resurvey in Bataan, 1950, 239.
PHILLIPS, P. H. See Constant, M. A., 271.
Physical signs of vitamin deficiencies, relationships between intake and serum levels of ascorbic acid, vitamin A, and carotene of selected groups of children with, 445.
PIERCE, H. B. See Merrow, S. B., 445.
Plant materials, nutritional value of. VII., 171.
Plasma fibrinogen, total, in ascorbic acid deficiency and in scurvy in monkey, 515.
— protein and plasma fibrinogen, total, in ascorbic acid deficiency and in scurvy in monkey, 515.

Post-weaning and pre-weaning mortality of rats, dietary factors affecting. Nutritional value of plant materials. VII., 171.
Powdered rations (see Rations, powdered).
Pregnancy, metabolism of nicotinic acid in, 335.
Pre-weaning and post-weaning mortality of rats, dietary factors affecting. Nutritional value of plant materials. VII., 171.
Procedure for measuring digestibility of pasture forage under grazing conditions, 255.
Processed cereals, effect on dental caries production in cotton rat, 271.
Processing, effect on enzymatic liberation of lysine and arginine from soybean oil meal, 525.
Protein(s), certain, factors affecting percentage in egg white, 531.
— depletion, effect upon body weight and fat, nitrogen, and choline content of livers of choline-deficient rats, 479.
— hydrolysates with dextrose, effects of heat on nutritive value of, 539.
— total plasma, in ascorbic acid deficiency and in scurvy in monkey, 515.
Purified casein rations, effect of vitamin B_{12} deficiency upon survival of young born to rats fed, 281.

QUAIFE, M. L. See Harris, P. L., 459.

RANCID lard effect on rats fed complete and riboflavin-deficient diets, 151.
Rat(s), albino, influence of age and sex of, on hepatic ascorbic acid, 551.
— choline-deficient, effect of fasting or protein depletion upon body weight and fat, nitrogen, and choline content of livers of, 479.
— cotton, dental caries in. XIII., 271.
— deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of, for reproduction. II., 27.
— dietary factors affecting gastric secretion in, 87.
— — — — pre-weaning and post-weaning mortality of. Nutritional value of plant materials. VII., 171.
— effect of aureomycin and penicillin upon vitamin requirements of, 99.
— fat-deficient, effect of dietary fat on reproductive performance and mixed fatty acid composition of, 489.
— fed complete and riboflavin-deficient diets, effect of rancid lard on, 151.
— — finely powdered, synthetic rations, incidence and extent of tooth decay in three strains of, 323.
— — purified casein rations, effect of vitamin B_{12} deficiency upon survival of young born to, 281.
— lysine deficiency in. II., 61.
— molar teeth, factors concerned with different erosive effects of grapefruit and grapefruit juice on, 133.
— (Mus norvegicus), dental caries in. I., 323.
— vitamin B_{12}-deficient, fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, growth response and B_{12} tissue levels in, 467.
Rations (powdered, synthetic), incidence and extent of tooth decay in three strains of rats fed, 323.
— purified casein, effect of vitamin B_{12} deficiency upon survival of young born to rats fed, 281.
REGISTER, U. D. See Tappan, D. V., 75.
REID, J. T., P. G. WOOLFOLK, W. A. HARDISON, C. M. MARTIN, A. L. BRUNDAGE AND R. W. KAUFMANN. A procedure for measuring the digestibility of pasture forage under grazing conditions, 255.
Reproduction, deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of rat for. II., 27.
Reproductive performance of fat-deficient rats, effect of dietary fat on, 489.
Resurvey, nutrition, in Bataan, Philippines, 1950, 239.
REYNOLDS, M. S. See Futrell, M. F., 299.
Rhesus monkey, niacin deficiency in, 75.
Riboflavin, biological availability of certain foods as sources of, 45.
— 5,6-dimethylbenzimidazole and related compounds, growth response and vitamin B_{12} tissue levels in B_{12}-deficient rats and chicks fed, 467.
— requirement of Holstein calf, 37.
Riboflavin-deficient and complete diets, effect of rancid lard on rats fed, 151.
ROBBLEE, A. R. See Clandinin, D. R., 525.
RODERUCK, C. E. See Mertz, E. T., 313.

SALCEDO, J., JR. See Burch, H. B., 239.
SALMON, R. J., AND C. D. MAY. Total plasma protein and plasma fibrinogen in ascorbic acid deficiency and in scurvy in the monkey, 515.
SAUBERLICH, H. E. Effect of aureomycin and penicillin upon the vitamin requirements of the rat, 99.
SCHAEFER, A. E. See Hale, O. M., 479.
SCHULTZE, M. O., I. E. LIENER AND R. L. GLASS. Nutritional value of plant materials. VII. Dietary factors affecting pre-weaning and post-weaning mortality of rats, 171.
— See Liener, I. E., 223.
Scurvy in monkey, total plasma protein and plasma fibrinogen in, 515.
Secretion, gastric, in rat, dietary factors affecting, 87.
Self-selected diets, amino acids in, 299.
— — of older women, essential amino acids in, 313.
Serum levels and intake of ascorbic acid, vitamin A, and carotene of selected groups of children with physical signs of vitamin deficiencies, relationships between, 445.
SEVIGNE, P. J. See Week, E. F., 353.
Sex of albino rat, influence on hepatic ascorbic acid, 551.
Signs, physical (see Physical signs).
SLANETZ, C. A. See Kaunitz, H., 151.
SNELL, E. E. See DeBey, H. J., 203.
Soybean lecithins and vitamin A utilization, 377.
— oil meal, effect of processing on enzymatic liberation of lysine and arginine from, 525.
Storage of vitamins by chicks, effect of different carbohydrates and antibiotics on, 411.
Sugar-containing diets, cariogenicity of, 425.
SURE, B., L. EASTERLING AND S. JEU. The specific effect of niacin on growth, 55.
Survival of young born to rats fed purified casein rations, effect of vitamin B_{12} deficiency upon, 281.

TABENKIN, B. See Cooperman, J. M., 467.
TAPPAN, D. V., U. J. LEWIS, U. D. REGISTER AND C. A. ELVEHJEM. Niacin deficiency in the rhesus monkey, 75.

Teeth, molar (rats'), factors concerned with different erosive effects of grapefruit and grapefruit juice on, 133.
THOMPSON, R. Q. See Guerrant, N. B., 377.
Tissue levels of vitamin B_{12} and growth response in B_{12}-deficient rats and chicks fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, 467.
Tocopherol (alpha-) and alpha-tocopheryl acetate, relative utilization by humans, 353.
— content of human milk and of cows' milk products used for infant feeding, 459.
Tocopheryl (alpha-) acetate and alpha-tocopherol, relative utilization by humans, 353.
Tooth decay, incidence and extent in three strains of rats fed finely powdered, synthetic rations, 323.
TRANT, M. See Kuiken, K. A., 13.
Tryptophan metabolism (see Metabolism).

URICEMIA of chickens fed high levels of glycine, effect of vitamin B_{12} and folic acid on, 389.

VITAMIN(s) A, ascorbic acid, and carotene, relationships between intake and serum levels of, of selected groups of children with physical signs of vitamin deficiencies, 445.
—— deficiency in mouse, 361.
—— metabolism (see Metabolism).
—— utilization and soybean lecithins, 377.
— B, deposition in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. II., 27.
— B_6 and methionine, interrelationship between, 203.
— B_{12} and folic acid, effect on growth and uricemia of chickens fed high levels of glycine, 389.
—— and various methyl donors, excretion of N^1-methylnicotinamide and creatinine as influenced by, 223.
—— crystalline, retention by healthy male individuals following intramuscular injection, 215.
—— deficiency, effect upon survival of young born to rats fed purified casein rations, 281.
—— tissue levels and growth response in B_{12}-deficient rats and chicks fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, 467.
— B_{12}-deficient rats and chicks fed riboflavin, 5,6-dimethylbenzimidazole and related compounds, growth response and B_{12} tissue levels in, 467.
— deficiencies, relationships between intake and serum levels of ascorbic acid, vitamin A, and carotene of selected groups of children with physical signs of, 445.
— effect of different carbohydrates and antibiotics on storage by chicks, 411.
— needs of rat for reproduction, deposition of B vitamins in normally developing fetuses as evidence for increased. II., 27.
— requirements of rat, effect of aureomycin and penicillin upon, 99.

WEEK, E. F., F. J. SEVIGNE AND M. E. ELLIS. The relative utilization of alpha-tocopherol and alpha-tocopheryl acetate by humans, 353.
Weight, body (see Body weight).
WEIS, A. E. See Mertz, E. T., 313.
WEETZ, A. W. See Lojkin, M. E., 335.
White, egg (see Egg white).
WHITE, P. L. See Kaufman, N., 433.
Whole grain cereals, effect on dental caries production in cotton rat, 271.
Women, older, essential amino acids in self-selected diets of, 313.
WOOLFOLK, P. G. See Reid, J. T., 255.
WYNN, W. See Haldi, J., 425.

YOUNG born to rats fed purified casein rations, effect of vitamin B_{12} deficiency upon survival of, 281.